

**SAM 022866****CITIZEN CINCOM Type K16 VII P**


<b>Group</b>	CNC automatic lathe
<b>Manufacturer</b>	CITIZEN CINCOM
<b>Type</b>	K16 VII P
<b>Commander</b>	FANUC
<b>Serial No.</b>	K00939
<b>Year</b>	2008






Number of axis total	5 + 2
Number of spindles	2
Max. turning diameter	16 mm
Maximum turning length	200 mm
Max. drilling diameter	10 mm
Max. threading diameter	8 M
Internal spindle diameter	20 mm
Spindle speeds:	
stepless	
from	200 t/min
up to	15000 t/min
Back spindle:	
speeds:	
from	200 t/min
up to	10000 t/min
Thread drill diameter	5 M
Tool-holder:	
Turning tools	6 pce
Drilling tools	4 pce
Transverse processing tools	4 pce
Spindle speeds (turning tools)	6000 t/min
Counter-operation:	
Drilling tools	4 pce
Voltage 50 Hz 3x	200 Volt
Total power required	8 kVA
Machine's weight about	2050 kg
Overall dimensions machine:	
Length	2020 mm
Width	1070 mm
Height	1680 mm
<b>Various accessories:</b>	
Bar feeder	
Manufacturer	FMB
Type	TURBO 2-18
Bar diameter	2 - 18 mm
Set of collets	
Status light	





[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)

